5/15

DART AEROSPACE LTD	Work Order:	22648
Description: Fitting	Part Number:	D3299-1
1		
Dwg: D3299 Rev. A1 (/w//o/-1/-16	Qty:	6 5
. 7		Page 1 of 1

Step	Location	Procedure	By	Date	Qty
1	DC	Issue Traveler	#	05,03,09	5
2	MC	Cut blank: 2.200" long Material: 6061-T6 (QQ-A-200/8 or QQ-A-225/8) 1.625" Hex (M6061T6H1.625) Identify as D3299-1 Batch: 115717	50	્ડ .ઇડે.રૂ૧	40
3	MC	Turn as per Folio FA451 and Dwg D3299	7 1-1	03,03,27	70
3	IVIC	Turn as per Folio FA45 Farid Dwg D5255	50	05,03,29	M
4	QC2	Inspect parts as they come off the CNC machine		05.03.29	
5	MV	Machine as per Folio FA451 and Dwg D3299		. , ,	6
6,	QC2	Inspect parts as they come off the CNC machine	JL	05/04/04	6
7	QC8	Second check	m	05/04/04	6
8	MV	Deburr	JL	05/04/04	6
9	PG	Issue P/O:	u	085404	6
10	RG	Receive and Inspect for transit damage Ensure material release note is attached	CY	08-14.04 05/05/12	6
11 ,	QC5	Inspect work to Step 10		0505-12	۵
12	ST	Identify and Stock Thentify with Durt Part & Parts 4 390 A Fine Person	14	565112	4
13	AC	Cost / part: 68.01 Close W/O 63,49	AR.	05/05/13	6
14	DC	Close W/O 63,49 Inspect Level 21	KA-	05.05.26	6

RevDateChangeRevised ByApprovedA04.10.04New issueKJ/JLM

RELEASED

SSPAB

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
05.03.29	72	Dwg. Needs to be updated with 1.625 hex stock, curatly drawn with 1.5 stock		05.05.24	NA	/4/	1515.24
	,						
			Target and the second				

NCR: 22	2648	W	ORK OR	DER NON-CONFORMANCE	E (NCR)			
		Description of NC	Corrective Action Section B	ve Action Section B Verification Approva			Approval	
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Design Mgr	QC Inspector
Y50370	3	Taper pros. did not match thread	Propiz	oks tray	50.03.29	0505.30	125 30 30	B Posson o
05/04/04	5	1 scrap chamfer .688 too big . ".740" operater arran	poraranz	destreyt replace	J.L 05/04/04	oz-on-on	B prossur	Вочец
				<i>ą</i>			3	

Part No: 2329-1

___ Fault Category: Prod/machines Pants NCR: Wes DQA:

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	22648
₩		,
Description: Fitting	Part Number:	D3299-1
Inspection Dwg: D3299 Rev: A C. Mod. 16.16		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

· X	First Article		Prototype
-----	---------------	--	-----------


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of dispection	Comments
1.25	+/-0.030	1-252			Sein	
0.476	+0,000/-0.005	,474				
0.550	+`/-0.010	1555				
1.00	+/-0.030	1.003	/			
2.10	+/-0.030	2.111				
0.773,	+/-0.010	.777			Jern	
0.10	+/-0.030	100				
0.20	+/-0.030	190	" سن	- Any and	1 1	
0.550	+/-0.010	, 550				
MOW Max = 0.573 Min = 0.565	Max = 0.573	,5695	,,			
Ø0.3 ø 2	+0.005/-0.000	Ø.307				
		, x 1 ≥ 30 × 10 × 10 × 10 × 10 × 10 × 10 × 10 ×	,			
Ø0.688	+0.005/-0.000	.685		٠.	Vern	,
Ø0.580	+0.005/-0.000	.581			vern	
53°	+/-0.5°			W-1		٠
<u>.</u> 1						
		•				3
			•			

Measured by:	QZ.	J.L	Audited by:	ml	Prototype Approval:	N/A	
Date:	05/03/	/29	Date:	05/04/04	Date:	N/A	

Rev Date Change Revised by Approved
A 04.11.12 New Issue

PELEASED

Aor



2) FINISH: BLUE ANODIZE PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIBWCHASSITZNOTICE POSSIBLE SUPPLIER: ANODIZING THM PAINT

3) BREAK ALL SHARP EDGES 0.005 TO 0.010

4) ALL DIMENSIONS ARE IN INCHES

5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 6) IDENTIFY WITH DART P/N & B/N USING FINE POINT PERMANENT MARKER

WORK ORDER

NO. 22648

Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






DESIG	N R	DRAWN BY		ROSPACE LTD Y, ONTARIO, CANADA
CHEC	KED N	APPROVED,	DRAWING NO.	REV. A
l	#	-H	D3299	SHEET 2 OF 3
DATE		· · · · · · · · · · · · · · · · · · ·	TITLE	SCALE
04.	07.06		FITTING	1:1







D3299-3

SHOP COPY

RETURN TO ENGINEERING

D3299-3 NOTES:

- 1) MATERIAL: 6061-T6 (QQ-A-200/8 OR QQ-A-225/8) 1.00 HEX BAR (M606)T6HT000)LED COPY
 2) FINISH: BLUE ANODIZE PER MIL-A-8625F TYPE I OR IB OR IC OR II OR JB-CLASS-2/JENDMENT POSSIBLE SUPPLIER: ANODIZING THM PAINT POSSIBLE SUPPLIER: ANODIZING THM PAINT THOUT NOTICE
- 3) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) IDENTIFY WITH DART P/N & B/N USING FINE POINT PERMANENT MARKER

WORK ORDER

Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







DESIGN	DRAWN BY	_ , ,, , , , , , , , , , , , , , , , ,	ROSPACE LTD PY, ONTARIO, CANADA
CHECKED A	APPROVED N	DRAWING NO.	REV. A
#	#	D3299	SHEET 3 OF 3
DATE		TITLE	SCALE
04.07.06		FITTING	1:2







SECTION B-B SCALE 1:I



D3299-5

SHOP COPY

RET'URN TO **ENGINEERING**

	0	32	99	-5	NC	<u> T</u>	<u>ES:</u>
--	---	----	----	----	----	-----------	------------

- 1) MATERIAL: 6061-T6 (QQ-A-200/8 OR QQ-A-225/8) 1.63 HEX BAR (M6061T6H1.625) S1 FINISH: BLUE ANODIZE PER MIL-A-8625F TYPE ! OR IB OR IC OR II OR IIB CLASS 2 POSSIBLE SUPPLIER: ANODIZING THM PAINT
 - BREAK ALL SHARP EDGES 0.005 TO 0.010

- 4) ALL DIMENSIONS ARE IN INCHES
 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 6) IDENTIFY WITH DART P/N & B/N USING FINE POINT PERMANENT MARKER

UNITE TROULED COPY T - JULIENDMENT

HO IT LIGHTOE

V.C.L. ORDER

NO..

Copyright © 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Job Costing Report

Dart Aerospace Ltd. Hawkesbury

Mar 08, 2005 03:17 pm 🔭

Work Order No : 0022648 Project Name : D3299-1

Project For : WK515

Work Order Type : Main

Main WO Number :

House Part Number: D3299-14 Description : Fitting

Manufactured : Yes

Amount Req'd:

Amount Done : 0

Start Date : 03-08-05

Est Finish Date : 04-10-05

Act Finish Date :

Drawings Reqd : No

Ok for Approval : Approval Rec'd : Department Code:

Burden Flags : NNNNNNN

WO Status : Open

Invoice State : Not Invoiced

Invoice Date :

Invoice Number :

Invoice Amount : 0.00

Order Entry No : !

OE Value :

Est Margin : 0.000% Actual Margin : 0.000ક

\$0 Posted to Finished Goods

		Estimated	Actual	Var. %	Posted	To Post
Material Cost	==:		0.00	0.00	0.00	0.00
Material Cost	:	0.00			0.00	0.00
Engineering Hours		0.00	0.00	0.00		
55	:	0.00	0.00	0.00	0.00	0.00
Production Hours	:	0.00	0.00	0.00		
Production Cost	:	0.00	0.00	0.00	0.00	0.00
Packaging Hours	:	0.00	0.00	0.00		
Packaging Cost	:	0.00	0.00	0.00	0.00	0.00
OverHead Hours	:	0.00	0.00	0.00		
OverHead Cost	:	0.00	0.00	0.00	0.00	0.00
CNC Hours	:	0.00	0.00	0.00		
CNC	:	0.00	. 0.00	0.00	0.00	0.00
Misc. Hours	:	0.00	0.00	0.00		
Misc.	:	0.00	0.00	0.00	0.00	0.00
		========	========	======		
Burden	:	0.00	0.00	0.00		•
•			=======	======		
Total Cost	:	0.00	0.00	0.00		
Margin	:	0.000	0.000			
Selling Cost	:	0.00	0.00			

Estimated Actual Labour Hrs/Amount Done : 0.00 0.00 Profits/(Loss) 0.00 0.00

Page 13


TNM

ANODISATION et PEINTURE TNM INC.

C. OF C

4454 Garand, Ville St. Laurent, QC H4R 2A2 Telephone: (514) 335-7001 Fax: (514) 335-3920 Certifié ISO 9001-2000 / ISO 9001-2000 certified Certifié NADCAP / NADCAP certified

40916 06-May-2005



CERTIFICATE OF COMPLIANCE CERTIFICAT DE CONFORMITE

DART AEROSPACE LTD.

1270 ABERDEEN STREET

HAWKESBURY ONTARIO

K6A 1K7

PURCHASE ORDER/ NO. DE COMMANDE:

2008003






ITEM	COMMANDE ORDERED	EXPEDI SHIPPEI		CR & DESCRIPTION	PART PROCESS & TREATMENT
1	6	6	D3299-1	FITTING	B23012
					BLUE ANODIZE PER MIL-A-8625F TYPE II CLASS 2 ALL OVER
2	13	13	D3299-3	FITTING	B22648
_	. •	, -			BLUE ANODIZE PER MIL-A-8625F TYPE II CLASS 2 ALL OVER
			.,,		

Nous certifions que les articles énumérés ont été procédés accordément à l'inspection ci-haut. Les cartes de travail ont été remplies et sont disponsibles pour consultation sur demande.

We hereby certify that the above parts have been processed in accordance with the above inspection. Travel cards have been filed and are available for viewing upon request.

Signature/Signed:__



Directeur de la Qualité / Q.A. Manager